#### U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

#### PERSONNEL OPERATIONS MEMORANDUM





POM 821.65 EFFECTIVE DATE: 21 April 2024

#### By Order of the Surgeon General of the U.S. Public Health Service:

#### VADM Vivek H. Murthy, MD, MBA

- TO: All members of the Regular Corps and the Ready Reserve Corps
- SUBJECT: Annual Physical Fitness Test (APFT)
  - 1. This Personnel Operations Memorandum (POM) updates the Annual Physical Fitness Test (APFT) effective 21 April 2024.
  - 2. The APFT is comprised of four categories: cardiorespiratory endurance, upper body endurance, core endurance, and a flexibility component. The details regarding performance and scoring of each category are outlined in the attached Appendix, "Annual Physical Fitness Test Guidance Document." Officers must satisfactorily complete one exercise in each category.
    - a. Cardiorespiratory endurance exercises: 1.5-mile run; 450 meter/500 yard swim; 12 minute elliptical exercise; or 12 minute stationary bike exercise.
    - b. Upper body endurance: push-up.
    - c. Core endurance exercises: plank; side-bridge; or sit-up.
    - d. Flexibility: seated toe touch officers are required to touch their toes for one second while in a seated position.
  - 3. Each APFT exercise, except flexibility which is scored as satisfactory or unsatisfactory, is scored in one of six levels (Maximum, Outstanding, Excellent, Good, Satisfactory, and Failure) with corresponding point values (100, 90, 75, 60, 45, and 0 points, respectively).

Points are awarded for each exercise at discrete values (100, 90, 75, 60, 45, and 0) based on the performance level achieved. If performance is in between levels, round down to the lower level. The overall APFT level is calculated from the average of the cardiorespiratory, upper body, and core endurance exercises. Officers must score satisfactory or higher on each exercise to pass the APFT. If an officer cannot touch his/her toes (i.e., scores unsatisfactory), the overall APFT level is reduced by one level. For example, if an officer scores maximum on the run (100 points), good on the push-ups (60 points), excellent on the plank (75 points), and scores satisfactory on the seated toe touch, the overall APFT score is "excellent" (100 + 60 + 75 = 235; then  $235 \div 3 = 78$  points). If the officer scores unsatisfactory on the seated toe touch, the overall APFT score is reduced one level to "good." If an officer scores satisfactory on the seated toe touch, the officer will fail the APFT.

- 4. Officers may request a medical waiver for all or part of the APFT (see Commissioned Corps Instruction (CCI) <u>221.02</u>, "Medical Readiness"). Officers must include documentation from their medical care provider when submitting a request for waiver. Officers who are waived for part of the APFT must still complete the remaining exercises.
- 5. Upon completing the APFT, the officer and testing official must complete and sign Form PHS-7044, "Annual Physical Fitness Test (APFT) Report." Officers must then enter their fitness results into the APFT section of the Readiness and Deployment Branch Self Service application within the Officer Secure Area (where the Form PHS-7044 will also be uploaded), and retain Form PHS-7044 for personal records.
- 6. This POM replaces POM 821.65, "Annual Physical Fitness Test (APFT)," dated 23 June 2020, and will remain in effect until superseded or rescinded.

Vivek H. Murthy, MD, MBA VADM, USPHS U.S. Surgeon General Appendix: Annual Physical Fitness Test Guidance Document



## U.S. PUBLIC HEALTH SERVICE COMMISSIONED CORPS

## ANNUAL PHYSICAL FITNESS TEST (APFT) PROCEDURES & INSTRUCTIONS

APFT Effective 1 October 2018

## Table of Contents

General Instructions
Annual Physical Fitness Test Exercise Categories
Cardiorespiratory Endurance
RUN
SWIM
ELLIPTICAL4
STATIONARY BIKE
Upper Body Endurance
PUSH-UPS
Core Endurance
PLANK8
SIDE BRIDGE9
SIT-UPS
Flexibility
SEATED TOE TOUCH11
Scoring and Standards12
Scoring the APFT12
Scoring the Elliptical and Stationary Bike13
Table 1. Standards for Males15
Table 2. Standards for Females   18

Per policy, all Commissioned Corps officers are required to:

- 1. Complete and pass the Annual Physical Fitness Test (APFT)
  - (Note: Medical waivers may be obtained for the individual exercises that cannot be completed due to medical limitations. If the officer completes a medical waiver for a specific component of the APFT, the officer will still be required to perform the other components), or
- 2. Possess an approved medical waiver for each exercise category of the APFT.

The APFT is effective 01 October 2018. Instructions for completing and scoring the APFT are found in this document. Medical waiver information is on the CCMIS website under the Medical Affairs Branch (MAB) tab (look for Medical Waivers). Additional information, including Frequently Asked Questions is on the CCMIS website under the Readiness tab [look for Annual Physical Fitness Test (APFT)]. An instructional video will also be added.

## **General Instructions**

- Officers must perform the APFT in front of another person who evaluates the officer to ensure compliance with these instructions and standards. If possible, officers should be evaluated by an active-duty commissioned officer from the USPHS or one of the other Uniformed Services. When unavailable, officers can be evaluated by an active-duty commissioned officer remotely (via live or recorded video) or by a federal employee non-officer adult in person.
- The person evaluating the officer is referred to as the testing official.
- APFT exercises may be performed or repeated in any order provided the entire APFT is completed within the two-hour period. For example, it is NOT acceptable to complete the run on one day and the push-ups, plank, and seated toe touch on another day.
- It is the responsibility of the testing official to ensure that the officer performs the exercises in accordance with this procedure manual.
- The testing official may spend as much time as necessary prior to the start of the APFT to review the proper technique for each exercise.
- The testing official must be careful to count only properly performed repetitions and to alert the officer to the count after each repetition.
- Form PHS-7044 (APFT Readiness Standards Report) should be completed by the testing official after the officer completes each exercise. The form must be signed by the testing official and include the email address of the testing official.
- The officer must enter his/her APFT results into the Readiness Self Service application in the Officer Secure Area, to upload the form(s) to the OSA, and retain a copy of the completed Form PHS-7044.

## Annual Physical Fitness Test Exercise Categories

The Annual Physical Fitness Test (APFT) is comprised of indicators of cardiorespiratory endurance, upper body endurance, core endurance, and flexibility. Each officer must complete one exercise in each category.

## **Cardiorespiratory Endurance**

Cardiorespiratory endurance is determined by the ability of the heart, lungs and muscles to deliver and use oxygen for sustained work. It is associated with the ability to carry out strenuous activity throughout the day without undue fatigue.

### Upper Body Endurance

Strength and endurance in the muscles of the upper body, specifically the chest, shoulders, triceps is a good indication of overall fitness and demonstrates the ability to meet some of the physical demands of deployment.

### Core Endurance

Reflecting one of the largest muscle groups in the body, the core includes the muscles of torso, including the abdomen, back, sides and hips. Core endurance is essential to posture, balance, back injury prevention, and overall fitness.

#### **Flexibility**

Flexibility of the low back, hips and legs is an important element of physical capacity and injury prevention.

## **APFT EXERCISES**

- 1. Cardiorespiratory Endurance: Run
- 2. Upper Body Endurance: Push-ups
- 3. Core Endurance: Plank
- 4. Flexibility: Seated toe touch

## **ALTERNATIVE APFT EXERCISES**

- Cardiorespiratory Endurance: Swim, elliptical, stationary bike
- Core Endurance: Side bridge, sit-ups

## **Cardiorespiratory Endurance**

RUN	rdiorespiratory Endurance Exercise
Instructions	
possik The ru to be The ru o o Office	un shall be conducted on a track or outdoor course where he or she deems the surface flat and solid. The exercise may also be performed on a treadmill. un exercise shall be conducted on a track or outdoor course as follows: All officers shall stand at the start line. The testing official shall signal the start for the officer being tested and call out time intervals until completion of the test. Time is recorded with a stopwatch to the nearest second. ers may conduct the exercise on a treadmill where appropriate facilities and equipment vailable. The treadmill shall have ALL of the following features: Motor-driven running surface belt with emergency stop button.
• The ex	
0	Officer straddles the treadmill belt with the <b>treadmill inclination set to 1.0 percent</b> . The testing official shall signal the start and the officer starts the treadmill at the desired rate.
0	Time is recorded with a stopwatch to the nearest second. Treadmill speed may be adjusted to the officer's comfort anytime during the test.
• The ex	xercise is ended if the officer: Stops running or walking other than to retie a shoelace or remove a foreign object from the shoe (only applies on a track or outdoor course), or Changes the treadmill inclination from 1.0 percent.

# Alternate Cardiorespiratory Endurance Exercise SWIM

- The exercise consists of swimming 500 yards or 450 meters in the fastest time possible. Any swim stroke and turn may be used.
- The swim shall only be conducted in a standard 25 or 50 yard/meter swimming pool.
- The swim exercise shall be conducted as follows:
  - $\circ$   $\;$  Swimmers begin the test in the water.
  - The testing official shall signal the start for the officer being tested and call out time intervals/lengths until completion of the test.

- Time is recorded with a stopwatch to the nearest second.
- Swimmers may push off from the sides with hands and feet after each pool length.
- Resting is permitted by holding the side of the pool, standing, or treading water.
- Swimmers may use goggles, facemasks, swim caps, and/or ear plugs. Fins, snorkels, flotation, wet suits, and propulsion devices are not allowed.
- The exercise is ended if the officer:
  - Receives or requires assistance from a lifeguard or other person, or
  - Exits the pool for any reason.


# Alternate Cardiorespiratory Endurance Exercise ELLIPTICAL

- The exercise consists of 12 minutes on an approved elliptical machine to determine a "score" calculated by a formula using calories burned added to an offset value for the machine divided by body weight. See the <u>Scoring the Elliptical and Bike</u> section for the complete list of approved machines and how to calculate the results for this exercise.
- Only approved elliptical machines may be used for this exercise.
- Officers are encouraged to train and familiarize themselves with the authorized equipment, including safety measures, start/stop/etc. prior to attempting this exercise.
- The elliptical exercise shall be conducted as follows:
  - Ensure elliptical machine is "approved" by checking the <u>Approved Elliptical Offset</u> <u>Values</u> table.
  - Ensure machine data is cleared prior to programming for the exercise.
  - Select manual program with the resistance of the officer's choice.
  - Enter body weight in pounds.
  - Set timer on machine for 12 minutes (adjust as required for machines that utilize automatic cool-down).
  - Begin test. Officers can adjust resistance or stride rate during the exercise to maximize performance. Except for making brief adjustments to resistance setting, hands must remain on handlebars throughout test.
  - At the 12 minute mark, testing official records the number of calories burned from the machine.
  - Calculate "score" using the offset value from the machine and body weight and use that value to determine "score" using <u>Table 1 Standards for Males</u> or <u>Table 2</u> <u>Standards for Females</u>.
- The exercise is ended if the officer:
  - Stops to rest,
  - Stops the machine, or
  - Removes hands from the handlebars (other than momentarily, e.g. to adjust the resistance).

## Alternate Cardiorespiratory Endurance Exercise STATIONARY BIKE

- The exercise consists of 12 minutes on an approved stationary bike to determine a "score" calculated by a formula using calories burned added to an offset value for the machine divided by weight. See the <u>Scoring the Elliptical and Bike</u> section for the complete list of approved machines and how to calculate the results for this exercise.
- Only approved stationary bikes may be used for this exercise.
- Officers are encouraged to train and familiarize themselves with the authorized equipment, including safety measures, start/stop/etc. prior to attempting this exercise.
- The stationary bike exercise shall be conducted as follows:
  - Ensure stationary bike is "approved" by checking the <u>Approved Stationary Bike Offset</u> <u>Values</u> table.
  - Ensure machine data is cleared prior to programming for the exercise.
  - Select manual program with the resistance of the officer's choice.
  - Enter body weight in pounds.
  - Set timer on machine for 12 minutes (adjust as required for machines that utilize automatic cool-down).
  - Begin test. Officers can adjust pedaling rate or cadence during the exercise to maximize performance. Hands must remain on handlebars throughout test. Officers must remain seated throughout the exercise and may not stand while pedaling.
  - At the 12 minute mark, testing official records the number of calories burned from the machine.
  - Calculate "score" using the offset value from the machine and body weight and use that value to determine "score" using <u>Table 1 Standards for Males</u> or <u>Table 2</u> <u>Standards for Females</u>.
- The exercise is ended if the officer:
  - Stops to rest,
  - Stops the machine,
  - o Lifts body off the seat of the bike or stands up on the bike, or
  - Removes hands from the handlebars (other than momentarily, e.g. to adjust the resistance).

## **Upper Body Endurance**



- Failing to lower the body until the upper arms, shoulders, and lower back are aligned and parallel to the floor, or
- Failing to raise the body until the arms are completely straight.
- The exercise is ended when time expires or if the officer:
  - o Rests any part of the body except hands and feet on the floor,
  - $\circ$   $\;$  Raises one or both feet or hands off the floor or ground, or
  - Fails to maintain a straight line from shoulders to heels.

## **Core Endurance**

Primary Core Endurance Exercise

## PLANK

### Images





- The exercise consists of maintaining a plank position for as long as possible.
- The plank shall be conducted on a firm or suitably padded, level surface. Shoes are optional.
- The plank should be conducted as follows:
  - Begin in push-up position with feet hip-width apart. Elbows should be bent and lowered to the ground so that the forearms are lying flat on the ground. Elbows should be aligned below the shoulders with forearms parallel to the body at about shoulder width distance. Hands must be on the ground, either in fists with pinky side of the hand touching the ground or lying flat with palms down.
  - Hips should be lifted off the ground with feet flexed and the bottom of the toes on the ground.
  - The back, buttocks, and legs shall be straight from head to heels and must remain so throughout the test.
  - Toes, forearms, and fists/palms shall remain in contact with the floor, not a wall or other vertical support surface.
  - Officers should look at the floor to keep the head in line with the shoulders, back and legs.
  - Hold this position for as long as possible.
- Once the officer is in the correct position, the testing official shall signal the start and call out 15-second time intervals until the completion of the exercise. Time is recorded with a stopwatch to the nearest second.
- The exercise is ended if the officer:
  - Touches the floor with any part of the body except the elbows, forearms, fists/palms and toes,
  - o Raises one or both feet or hands off the floor, or
  - $\circ$   $\;$  Fails to maintain the back, buttocks, and legs in a straight line from head to heels.

# Alternate Core Endurance Exercise SIDE BRIDGE Image Information Instructions • The exercise consists of maintaining a side-bridge for as long as possible. • The side bridge shall be conducted on a firm or suitably padded, level sur

- The side bridge shall be conducted on a firm or suitably padded, level surface. Shoes are
  optional.
- The side bridge exercise shall be conducted as follows:
  - Begin by moving to the side-lying position on the dominate side, supported by the elbow, forearm, fist (or palm) and legs. The foot of the bottom leg (leg closest to the ground) is then wrapped behind the ankle of the top leg so that the inner edge of the foot of the top leg is contacting the ground.
  - Firmly press into the ground with the supporting arm, and then raise the trunk and pelvis straight upward until they form a straight line with the legs. The trunk should not rotate forward or backward or bend at the waist. The sole (bottom) of the supporting foot should not make contact of the ground; only the inner edge should be touching the ground.
  - The non-supporting arm can be placed in any position (e.g. on the hip or across the chest), but must not make contact with the ground or any other surface other than the officer's body.
  - Hold this position as long as possible.
- Once the officer is in the correct position, the testing official shall signal the start for the
  officer and call out 15-second time intervals until the completion of the exercise. Time is
  recorded with a stopwatch to the nearest second.
- The exercise is ended if the officer:
  - Touches the floor with any part of the body except the elbow, forearm, fist/palm and foot of the top leg, or
  - Can no longer properly hold the position.

# Alternate Core Endurance Exercise SIT-UPS

#### Images







- The exercise consists of repeating as many correct sit-ups as possible during a two minute time period.
- Sit-ups shall be conducted on a firm or suitably padded, level surface. Shoes are optional.
- Sit-ups shall be conducted as follows:
  - Officers shall start by lying flat on their back with knees bent at a 90 degree angle and soles of feet lying flat on the floor. Heels of the feet can be together or slightly separated. Arms shall be folded across and touching the chest, with hands touching upper chest or shoulders.
  - Feet shall be held to floor only by a partner's hands.
  - The testing official shall signal the start for all officers and call out 15-second time intervals until the completion of the exercise.
- The officer curls the body up, touching elbows to thighs while keeping hands in contact with the chest or shoulders.
- After touching elbows to the thighs, the officer lies back, touching lower edge of shoulder blades to floor. This completes one repetition.
- Officers may rest in either the up or down position provided that proper form is maintained.
- Sit-ups are repeated as many times as possible in two minutes. Testing official monitors officer for correct form, and counts only the number of correctly performed sit-ups. Incorrectly performed sit-ups shall not be counted.
- The exercise is ended when time expires or if the officer:
  - Raises one or both feet off the ground/floor,
  - o Lifts buttocks off the floor,
  - $\circ$   $\;$  Fails to keep arms folded across and touching chest, or
  - $\circ$   $\;$  Fails to keep hands in contact with chest or shoulders.

## Flexibility

Flexibility Exercise

## SEATED TOE TOUCH

#### Images





- The exercise consists of reaching forward while sitting to touch the toes.
- The seated toe touch shall be conducted on a firm or suitably padded, level surface. Officers should warm-up (e.g., walking or gentle stretching) and then remove shoes.
- The seated toe touch shall be conducted as follows:
  - Begin sitting on the floor with feet and heels together straight out in front of the body. Knees should not be bent.
  - Place one hand on top of the other with the finger tips even.
  - The neck should be in a neutral position.
  - The officer should stretch forward with both hands as far as possible and hold this position for one second. Do not lunge or bob.
- The testing official documents whether the officer can touch his/her toes while holding for one second.
  - o If the officer is able to touch toes while holding for one second, the exercise is done.
  - If the officer is not able to touch toes while holding for one second, the exercise may be attempted two more times with a few seconds rest between attempts.
  - If the officer cannot touch toes while holding for one second after three attempts, the exercise is scored as unsatisfactory.

## Scoring and Standards

## Scoring the APFT

## Pass

To pass the APFT, an officer must meet or exceed the satisfactory performance level for one exercise in each of the cardiorespiratory endurance, upper body endurance, and core endurance categories.

### Fail

Failure to meet satisfactory requirements in <u>any</u> of the cardiorespiratory, upper body, or core endurance exercise categories constitutes failure of the APFT, regardless of the performance level on the other exercise categories. If the average overall APFT score is "Satisfactory" and the officer scores unsatisfactory on the seated toe touch, the officer will fail the APFT.

- Cardiorespiratory endurance, upper body endurance, and core endurance exercises have 6 levels (Maximum, Outstanding, Excellent, Good, Satisfactory, Failure) with corresponding point values:
  - Maximum = 100 points
  - Outstanding = 90 points
  - Excellent = 75 points
  - Good = 60 points
  - Satisfactory = 45 points
  - Failure = 0 points
- For each exercise, points are only awarded at the discrete values (100, 90, 75, 60, 45, or 0) based on the performance level achieved. If an officer's performance in a single exercise falls between two levels, the testing official rounds down to the lower level and assigns the corresponding number of points for that exercise. For example, a 44 year old male who does 60 push-ups would have a level of "Excellent" (75 points).
- The flexibility seated toe touch is scored as satisfactory or unsatisfactory.
- If each component of the APFT is passed, the final APFT score is based on the *average* of the scores from the cardiorespiratory endurance, upper body endurance, and core endurance exercises. If an officer has a medical waiver for one or more exercises, the APFT score is based on the average score of the exercises completed.
  - Scoring unsatisfactory on the seated toe touch will lower the overall APFT score by one level (e.g. "Excellent" to "Good"). If the average overall APFT score is "Satisfactory" and the officer scores unsatisfactory on the seated toe touch, the officer will fail the APFT.
- Overall APFT levels and point values:
  - Maximum = 100 points (i.e., scored maximum level on each exercise)
  - Outstanding = 90-99 points
  - Excellent = 75-89 points
  - Good = 60-74 points
  - Satisfactory = 45-59 points
  - Failure = <45 points

	Example 1	Example 2	Example 3
Cardiorespiratory	Run: MAXIMUM	Elliptical: OUTSTANDING	Stationary bike: SATISFACTORY (45 pts)
Endurance	(100 pts)	(90 pts)	
Upper body	Push-ups: GOOD	Push-ups: GOOD	Push-ups: SATISFACTORY
endurance	(60 pts)	(60 pts)	(45 pts)
Core Endurance	Plank: EXCELLENT	Side bridge: GOOD	Sit-ups: SATISFACTORY
	(75 pts)	(60 points)	(45 pts)
Flexibility	Seated toe touch:	Seated toe touch:	Seated toe touch:
	SATISFACTORY	UNSATISFACTORY	UNSATISFACTORY
Calculation	100 + 60 + 75 = 235	90 + 60 + 60 = 210	45 + 45 + 45 = 135
	235 ÷ 3 = 78 points	210 ÷ 3 = 70 points	135 ÷ 3 = 45 points
Overall Score	EXCELLENT	SATISFACTORY	FAILURE
Notes		The score averages to GOOD, but the overall score is one level lower due to the unsatisfactory score on the seated toe touch	The score averages to SATISFACTORY, but the overall score is one level lower due to the unsatisfactory score on the seated toe touch

## Scoring the Elliptical and Stationary Bike

Only the approved elliptical machines and stationary bikes can be used for the cardiorespiratory endurance alternate exercises. Some military installations may have these machines; a resource for finding military installations is <u>here</u>. The goal for the individual being tested is to maximize the amount of calories expended in a 12 minute timed test. The below formula uses the machine's estimated number of calories burned, a machine-specific offset value, and body weight to determine performance using the standards depicted in <u>Table 1 Standards for Males</u> or <u>Table 2 Standards for Females</u>.

- Calculate adjusted calories: calories from machine + offset value for respective machine model
- Divide adjusted calories by body weight in pounds: (calories from machine + offset value) ÷ body weight (pounds)

Body Weight (lbs)

• Use <u>Table 1 Standards for Males</u> or <u>Table 2 Standards for Females</u> to determine level obtained and the corresponding number of points.

Approved Stationary Bike Offset Values	
Approved Stationary Bikes	Offset Value
Life Fitness 95Ci	0
Life Fitness 95CiXXL	0
Life Fitness Classic Series (CLSC)	0

Approved Elliptical Offset Values	
Approved Elliptical Machines	Offset Value
LifeFitness 91X / Classic Series (CLSX)	-1.585
LifeFitness 91Xi	-1.585
LifeFitness 95Xi (Quiet Drive Version Only)	-20.743
LifeFitness 95X (Model may be Inspire or Engage)	22.980
LifeFitness CT 9500	-32.947
LifeFitness CT 9500 HR	-32.947
Nautilus (Model E9 16)	-12.855
Precor EFX-556NAVY / EFX-556iNAVY	-24.322
Precor EFX-556i	5.769
Precor EFX-576i / EFX-835	5.769
Technogym Excite Synchro 700 (Series)	-22.502

*Elliptical Example*: A 35 year old male weighing 180 pounds burned an estimated 200 calories on the Nautilus Model E9 16.

- Calculate adjusted calories (calories + offset value) = 200 + (-12.885) = 187.115
- Divide adjusted calories by body weight = 187.115 ÷ 180 pounds = 1.039
- Use <u>Table 1 Standards for Males</u> to determine level obtained. A score of 1.039 corresponds to 60 points or "Good."

<u>Stationary Bike Example</u>: A 43 year old female weighing 130 pounds burned an estimated 105 calories on the LifeFitness CLSC.

- Calculate adjusted calories (calories + offset value) = 105 + 0 = 105
- Divide adjusted calories by body weight = 105 ÷ 130 pounds = 0.807
- Use <u>Table 2 Standards for Females</u> to determine level obtained. A score of 0.807 corresponds to 75 points or "Excellent."

## Table 1. Standards for Males

Age for Males	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
CARDIORESPIRATORY	ENDURANCE				-	-		-		
1.5 mile run (minutes)										
Maximum (100 pts)	8:30	8:55	9:20	9:25	9:30	9:33	9:35	10:42	11:21	11:41
Outstanding (90 pts)	9:15	9:38	10:00	10:08	10:15	10:30	10:45	11:25	12:04	12:43
Excellent (75 pts)	10:30	10:52	11:15	11:23	11:45	12:08	12:30	13:12	13:53	14:34
Good (60 pts)	12:00	12:53	13:45	14:08	14:30	14:53	15:15	16:15	17:47	18:13
Satisfactory (45 pts)	15:12	15:12	15:52	15:52	16:28	16:28	17:29	17:29	18:52	20:35
Failure (0 pts)	>15:12	>15:12	>15:52	>15:52	>16:28	>16:28	>17:29	>17:29	>18:52	>20:35
UPPER BODY ENDURA	NCE									
Push Up (number perfo	rmed in 2 mi	nutes)								
Maximum (100 pts)	87	84	80	76	72	68	64	60	57	48
Outstanding (90 pts)	81	77	74	70	67	63	59	56	52	44
Excellent (75 pts)	71	67	64	60	56	52	49	46	44	36
Good (60 pts)	47	44	41	37	34	32	30	16	14	10
Satisfactory (45 pts)	37	34	31	27	24	21	19	10	8	4
Failure (0 pts)	<37	<34	<31	<27	<24	<21	<19	<10	<8	<4
CORE ENDURANCE										
Plank (seconds)										
Maximum (100 pts)	180	180	180	180	180	180	180	180	180	180
Outstanding (90 pts)	150	150	150	150	150	150	150	150	150	150
Excellent (75 pts)	120	120	120	120	120	120	120	120	120	120
Good (60 pts)	90	90	90	90	90	90	90	90	90	90
Satisfactory (45 pts)	60	60	60	60	60	60	60	60	60	60
Failure (0 pts)	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60
FLEXIBILITY										
Seated Toe Touch										
Satisfactory	Can touch to	bes								

POM	821	.65
-----	-----	-----

Unsatisfactory Cannot touch toes

POM 821.65

21 April 2024

Age for Males	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
CARDIORESPIRATORY	ENDURANCE	ALTERNATI	VES							
500 yard swim (minute	es)									
Maximum (100 pts)	6:30	6:38	6:45	6:53	7:00	7:08	7:15	7:17	7:20	7:25
Outstanding (90 pts)	7:30	7:38	7:45	7:53	8:00	8:08	8:15	8:17	8:20	8:25
Excellent (75 pts)	8:45	8:53	9:00	9:08	9:15	9:23	9:30	9:47	10:05	10:30
Good (60 pts)	11:30	11:38	11:45	11:53	12:00	12:08	12:15	12:33	12:50	13:20
Satisfactory (45 pts)	13:00	13:08	13:15	13:23	13:30	13:38	13:45	13:55	14:05	14:15
Failure (0 pts)	>13:00	>13:08	>13:15	>13:23	>13:30	>13:38	>13:45	>13:55	>14:05	>14:15
450 meter swim (minu	tes)									
Maximum (100 pts)	6:20	6:28	6:35	6:43	6:50	6:58	7:05	7:07	7:10	7:15
Outstanding (90 pts)	7:20	7:28	7:35	7:43	7:50	7:58	8:05	8:07	8:10	8:15
Excellent (75 pts)	8:35	8:43	8:50	8:58	9:05	9:13	9:20	9:37	9:55	10:20
Good (60 pts)	11:20	11:28	11:35	11:43	11:50	11:58	12:05	12:23	12:40	13:10
Satisfactory (45 pts)	12:50	12:58	13:05	13:13	13:20	13:28	13:35	13:45	13:55	14:05
Failure (0 pts)	>12:50	>12:58	>13:05	>13:13	>13:20	>13:28	>13:35	>13:45	>13:55	>14:05
Elliptical (calculated va	nlues based or	n 12 minutes	s of exercise)							
Maximum (100 pts)	1.375	1.364	1.353	1.342	1.331	1.320	1.309	1.298	1.287	1.276
Outstanding (90 pts)	1.253	1.242	1.231	1.220	1.209	1.198	1.187	1.176	1.165	1.154
Excellent (75 pts)	1.131	1.120	1.109	1.098	1.087	1.076	1.065	1.054	1.043	1.032
Good (60 pts)	0.929	0.918	0.907	0.896	0.885	0.874	0.864	0.852	0.841	0.830
Satisfactory (45 pts)	0.865	0.854	0.843	0.832	0.821	0.810	0.800	0.788	0.777	0.766
Failure (0 pts)	<0.865	<0.854	<0.843	<0.832	<0.821	<0.810	<0.800	<0.788	<0.777	<0.766
Stationary Bike (calcul	ated values b	ased on 12 n	ninutes of ex	(ercise)						
Maximum (100 pts)	0.959	0.947	0.938	0.927	0.916	0.904	0.893	0.884	0.873	0.861
Outstanding (90 pts)	0.857	0.846	0.836	0.825	0.814	0.803	0.792	0.782	0.771	0.760
Excellent (75 pts)	0.755	0.745	0.734	0.723	0.712	0.702	0.691	0.680	0.669	0.659
Good (60 pts)	0.602	0.591	0.580	0.569	0.559	0.548	0.537	0.526	0.516	0.505
Satisfactory (45 pts)	0.553	0.542	0.531	0.520	0.510	0.499	0.488	0.477	0.466	0.456
Failure (0 pts)	<0.553	<0.542	<0.531	<0.520	<0.510	<0.499	<0.488	<0.477	<0.466	<0.456

POM 821.65

Annual Physical Fitness Test (APFT)

21 April 2024

Age for Males	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
CORE ENDURANCE ALT	<b>TERNATIVES</b>									
Side bridge (seconds)										
Maximum (100 pts)	120	120	120	120	120	120	120	120	120	120
Outstanding (90 pts)	94	94	94	94	94	94	94	94	94	94
Excellent (75 pts)	71	71	71	71	71	71	71	71	71	71
Good (60 pts)	60	60	60	60	60	60	60	60	60	60
Satisfactory (45 pts)	44	44	44	44	44	44	44	44	44	44
Failure (0 pts)	<44	<44	<44	<44	<44	<44	<44	<44	<44	<44
Sit-ups (number perform	ned in 2 mini	utes)								
Maximum (100 pts)	105	101	98	95	92	88	85	81	75	65
Outstanding (90 pts)	98	95	92	88	85	81	78	74	70	60
Excellent (75 pts)	87	84	81	78	76	73	71	62	56	44
Good (60 pts)	58	54	51	47	44	40	37	36	26	36
Satisfactory (45 pts)	46	43	40	37	35	31	29	26	20	10
Failure (0 pts)	<46	<43	<40	<37	<35	<31	<29	<26	<20	<10

21 April 2024

## Table 2. Standards for Females

Age for Females	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
CARDIORESPIRATORY	NDURANCE									
1.5 mile run (minutes)										
Maximum (100 pts)	9:47	10:17	10:46	10:51	10:56	10:58	11:00	12:23	13:34	14:45
Outstanding (90 pts)	11:30	11:45	12:00	12:08	12:15	12:30	12:45	13:57	15:08	16:19
Excellent (75 pts)	13:15	13:23	13:30	13:45	14:00	14:08	14:15	15:20	16:25	17:30
Good (60 pts)	14:15	14:53	15:30	15:53	16:15	16:30	16:45	17:48	18:51	19:54
Satisfactory (45 pts)	17:21	17:21	18:00	18:00	18:31	18:31	19:30	19:30	19:43	20:52
Failure (0 pts)	>17:21	>17:21	>18:00	>18:00	>18:31	>18:31	>19:30	>19:30	>19:43	>20:52
UPPER BODY ENDURAN	NCE									
Push Up (number perfor	rmed in 2 mi	nutes)								
Maximum (100 pts)	48	46	44	43	41	40	38	30	26	22
Outstanding (90 pts)	44	43	41	39	37	35	33	26	22	18
Excellent (75 pts)	39	37	35	34	32	30	28	20	16	12
Good (60 pts)	21	19	17	14	12	11	10	6	5	4
Satisfactory (45 pts)	16	13	11	9	7	5	2	2	2	1
Failure (0 pts)	<16	<13	<11	<9	<7	<5	<2	<2	<2	<1
CORE ENDURANCE										
Plank (seconds)										
Maximum (100 pts)	180	180	180	180	180	180	180	180	180	180
Outstanding (90 pts)	150	150	150	150	150	150	150	150	150	150
Excellent (75 pts)	120	120	120	120	120	120	120	120	120	120
Good (60 pts)	90	90	90	90	90	90	90	90	90	90
Satisfactory (45 pts)	60	60	60	60	60	60	60	60	60	60
Failure (0 pts)	<60	<60	<60	<60	<60	<60	<60	<60	<60	<60
FLEXIBILITY										
Seated Toe Touch										
Satisfactory	Can touch to	bes								
Unsatisfactory	Cannot touc	h toes								

POM 821.65

21 April 2024

Age for Females	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
CARDIORESPIRATORY	ENDURANCE	ALTERNATI	VES							
500 yard swim (minute	es)									
Maximum (100 pts)	7:15	7:23	7:30	7:45	8:00	8:15	8:30	8:45	9:00	9:15
Outstanding (90 pts)	8:45	9:00	9:15	9:30	9:45	9:53	10:00	10:07	10:15	10:23
Excellent (75 pts)	10:00	10:15	10:30	10:45	11:00	11:08	11:15	11:25	11:35	11:50
Good (60 pts)	13:15	13:30	13:45	14:00	14:15	14:30	14:45	15:00	15:15	15:30
Satisfactory (45 pts)	14:30	14:45	15:00	15:15	15:30	15:38	15:45	16:00	16:15	16:30
Failure (0 pts)	>14:30	>14:45	>15:00	>15:15	>15:30	>15:38	>15:45	>16:00	>16:15	>16:30
450 meter swim (minu	tes)									
Maximum (100 pts)	7:05	7:13	7:20	7:35	7:50	8:05	8:20	8:35	8:50	9:05
Outstanding (90 pts)	8:35	8:50	9:05	9:20	9:35	9:43	9:50	9:57	10:05	10:13
Excellent (75 pts)	9:50	10:05	10:20	10:35	10:50	10:58	11:05	11:15	11:25	11:40
Good (60 pts)	13:05	13:20	13:35	13:50	14:05	14:20	14:35	14:50	15:05	15:20
Satisfactory (45 pts)	14:20	14:35	14:50	15:05	15:20	15:28	15:35	15:50	16:05	16:20
Failure (0 pts)	>14:20	>14:35	>14:50	>15:05	>15:20	>15:28	>15:35	>15:50	>16:05	>16:20
Elliptical (calculated va	nlues based or	n 12 minutes	of exercise)							
Maximum (100 pts)	1.306	1.290	1.274	1.260	1.244	1.228	1.213	1.195	1.170	1.163
Outstanding (90 pts)	1.186	1.170	1.154	1.139	1.123	1.107	1.092	1.075	1.059	1.043
Excellent (75 pts)	1.066	1.050	1.034	1.018	1.002	0.986	0.971	0.955	0.939	0.923
Good (60 pts)	0.874	0.858	0.842	0.827	0.811	0.795	0.780	0.763	0.747	0.731
Satisfactory (45 pts)	0.810	0.794	0.778	0.762	0.747	0.731	0.716	0.699	0.683	0.667
Failure (0 pts)	<0.810	<0.794	<0.778	<0.762	<0.747	<0.731	<0.716	<0.699	<0.683	<0.667
Stationary Bike (calcul	ated values b	ased on 12 n	ninutes of ex	ercise)						
Maximum (100 pts)	0.959	0.947	0.938	0.927	0.916	0.904	0.893	0.884	0.873	0.861
Outstanding (90 pts)	0.857	0.846	0.836	0.825	0.814	0.803	0.792	0.782	0.771	0.760
Excellent (75 pts)	0.755	0.745	0.734	0.723	0.712	0.702	0.691	0.680	0.669	0.659
Good (60 pts)	0.602	0.591	0.580	0.569	0.559	0.548	0.537	0.526	0.516	0.505
Satisfactory (45 pts)	0.553	0.542	0.531	0.520	0.510	0.499	0.488	0.477	0.466	0.456
Failure (0 pts)	<0.533	<0.542	<0.531	<0.520	<0.510	<0.499	<0.488	<0.477	<0.466	<0.456

Age for Females	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
CORE ENDURANCE ALT	ERNATIVES			-	-	-	-	-	-	
Side bridge (seconds)										
Maximum (100 pts)	120	120	120	120	120	120	120	120	120	120
Outstanding (90 pts)	94	94	94	94	94	94	94	94	94	94
Excellent (75 pts)	71	71	71	71	71	71	71	71	71	71
Good (60 pts)	60	60	60	60	60	60	60	60	60	60
Satisfactory (45 pts)	44	44	44	44	44	44	44	44	44	44
Failure (0 pts)	<44	<44	<44	<44	<44	<44	<44	<44	<44	<44
Sit-ups (number perform	ned in 2 mini	utes)								
Maximum (100 pts)	105	101	98	95	92	88	85	81	75	65
Outstanding (90 pts)	98	95	92	88	85	81	78	74	70	60
Excellent (75 pts)	87	84	81	78	76	73	71	62	56	44
Good (60 pts)	58	54	51	47	44	40	37	36	26	20
Satisfactory (45 pts)	46	43	40	37	35	31	29	26	20	10
Failure (0 pts)	<46	<43	<40	<37	<35	<31	<29	<26	<20	<10